AKEMI®

according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 6 Revision: 04.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: Akelux Polishing Paste

· Article number: 62029

1.2 Relevant identified uses of the substance or mixture and

uses advised againstNo further relevant information available.

· Application of the substance / the

mixture Polishing agent/ Burnishing compound

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Lechstrasse 28 D 90451 Nürnberg Fax. +49(0)911-644456 e-mail info@akemi.de

Tel. +49(0)911-642960

· Further information obtainable

from: Laboratory

1.4 Emergency telephone

number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform. Centre Medical Toxicology Unit

Avalonley Road London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard-determining components of

labelling: Not applicable.

· Hazard statements Void

· Additional information: EUH066 Repeated exposure may cause skin dryness or cracking.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· <u>Description:</u> Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Reg.nr.: 01-2119472146-39

CAS: 64741-65-7 Naphtha (petroleum), heavy alkylate Flam. Liq. 3, H226

EINECS: 265-067-2 Asp. Tox. 1, H304 Aquatic Chronic 4, H413

iqualio omonio 1, 11110

(Contd. on page 2)

12.5-25%



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 6 Revision: 04.03.2021

Trade name: Akelux Polishing Paste

(Contd. of page 1)

· <u>Additional information:</u> For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation: Take affected persons into fresh air and keep quiet.

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for

transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a

doctor.

· After swallowing: Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· Information for doctor: Symptoms in intoxication with (aromatic) hydrocarbons (dosis letalis about 30 g)

a) In acute intoxication: headache, dizziness, euphoria, gastro-intestinal

dysfunction, state of excitement, coma.

b) In chronic intoxication: myelotoxic damage, fatigue, dizziness, emaciation,

cardiac palpitation after physical exercise, leucopenia, anemia, leukosis.

 4.2 Most important symptoms and effects, both acute and

delayed

Breathing difficulty

Headache Dizziness Dizziness

Gastric or intestinal disorders

Unconsciousness

Nausea

· <u>Hazards</u> Danger of impaired breathing.

4.3 Indication of any immediate medical attention and special

treatment needed

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· For safety reasons unsuitable

extinguishing agents:

Water with full jet

5.2 Special hazards arising from

the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· <u>Additional information</u> Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage

system.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 6 Revision: 04.03.2021

Trade name: Akelux Polishing Paste

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

<u>emergency procedures</u>

Ensure adequate ventilation
Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective clothing.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

<u>handling</u> Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols. Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

· Information about fire - and

explosion protection: Keep ignition sources away - Do not smoke.

Traces of flammable substances may collect in the steam chamber of enclosed

systems. Keep clear ofignition sources.

Fumes can combine with air to form an explosive mixture.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by

storerooms and receptacles: Store in a cool location.

Store only in the original receptacle.

· Information about storage in one

common storage facility:

Do not store together with oxidising and acidic materials.

Do not store together with alkalis (caustic solutions).

· Further information about storage

conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from frost.

· Storage class: 10

No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· 7.3 Specific end use(s)

· Additional information about design

of technical facilities: No further data; see item 7.

(Contd. on page 4)



(Contd. of page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 6 Revision: 04.03.2021

Trade name: Akelux Polishing Paste

· Ingredients with limit values that require monitoring at the

workplace:

The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace. The lists valid during the making were used as basis.

· Additional information:

8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic

measures:

The usual precautionary measures are to be adhered to when handling

chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Apply solvent resistant skin cream before starting work.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of

intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter A/P2

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/

the substance/ the preparation.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

Preventive skin protection by use of skin-protecting agents is

recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Butyl rubber, BR Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.75 \ mm$

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· Not suitable are gloves made of

the following materials:

Natural rubber, NR Leather gloves

Strong material gloves

· Eye protection:



Tightly sealed goggles

· <u>Body protection:</u> Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid White
Odour: Specific type

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 6 Revision: 04.03.2021

rade name: Akelux Polishing Paste	
	(Contd. of page 4)
 Change in condition Melting point/freezing point: Initial boiling point and boiling range: 	Undetermined. 100 °C
· Flash point:	64 °C
· Ignition temperature:	354 °C
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits: Lower: Upper:	0.7 Vol % 6.5 Vol %
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	0.93 g/cm³
· <u>Solubility in / Miscibility with</u> <u>water:</u>	Insoluble.
· <u>Viscosity:</u> <u>Dynamic:</u> <u>Kinematic at 20 °C:</u>	Not determined. 999 s (DIN 53211/4)
· Solvent separation test:	< 3 %
· <u>Solvent content:</u> Organic solvents: Water:	24.9 % 60.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability
• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with acids, alkalis and oxidising agents. No further relevant information available.

· 10.4 Conditions to avoid 10.5 Incompatible materials:

No further relevant information available.

• 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h >31.3 mg/l (rat)

64741-65-7 Naphtha (netroleum)	heavy alkylate

Oral	LD50	>6,000 mg/kg (rat)
Dermal	LD50	>3,000 mg/kg (rbt)

(Contd. on page 6)



(Contd. of page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 6 Revision: 04.03.2021

Trade name: Akelux Polishing Paste

Inhalative LC50/4 h >7.8 mg/l (rat)

· Primary irritant effect:

Skin corrosion/irritation
 Serious eye damage/irritation
 Respiratory or skin sensitisation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

12.2 Persistence and

degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

· 12.5 Results of PBT and vPvB assessment

 $\begin{array}{ccc} \cdot & \underline{\mathsf{PBT:}} & & \mathsf{Not applicable.} \\ \cdot & \underline{\mathsf{vPvB:}} & & \mathsf{Not applicable.} \end{array}$

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not allow product to

reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

Non contaminated packagings may be reused.

SECTION 14: Transport information

· <u>14.1 UN-Number</u> · <u>ADR, ADN, IMDG, IATA</u>	Void	
· 14.2 UN proper shipping name · <u>ADR, ADN, IMDG, IATA</u>	Void	
· 14.3 Transport hazard class(es)		
· <u>ADR, ADN, IMDG, IATA</u> · <u>Class</u>	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	

(Contd. on page 7)



(Contd. of page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 6 Revision: 04.03.2021

Trade name: Akelux Polishing Paste

t annlicable

• 14.6 Special precautions for user Not applicable.

14.7 Transport in bulk according to Annex II of Marpol

and the IBC Code Not applicable.

· <u>UN "Model Regulation":</u> Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be

observed.

232.5 q/l

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· VOC EU

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

· Recommended restriction of use refer to Technical Data Sheet (TDS)

Department issuing SDS: LaboratoryContact: Laboratory

Fon ++49 (0)911 64296-59 @mail E.Hake@akemi.de

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

· * Data compared to the previous

version altered. Adaptation in accordance with REACH directive 1907/2006/EC