



8400 Green Meadows Dr.
P.O. Box 545
Lewis Center, OH 43035

P: 740.548.4100
F: 740.548.7616

MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT AND EMERGENCY CONTACT INFORMATION

MATERIAL NAME: DIA-GLO™ M POWDER - MARBLE POLISHING COMPOUND

PRODUCT CODES: C920M003 & C920M024

EMERGENCY CONTACTS: NORTH AMERICA (24 HRS) – CHEMTREC 1 (800) 424-9300
OUTSIDE NORTH AMERICA (COLLECT) – 1 (703) 527-3887

NON – EMERGENCY CONTACT: 1 (740) 548-4100 (8:00 AM – 5:00 PM EST)

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>CHEMICAL NAME</u>	<u>COMMON NAME</u>	<u>SARA 313 Y/N</u>	<u>CAS #</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>CARCINOGEN</u>
OXALIC ACID	N/A	Y	144-62-7	1 mg/m ³	1 mg/m ³	N
ALUMINUM OXIDE	N/A	N	1344-28-1	5 mg/m ³	5 mg/m ³	N
SULFUR	N/A	Y	7704-34-9	N/A	N/A	N
ZINC OXIDE	N/A	N	1314-13-2	10 mg/m ³	10 mg/m ³	N
AMMONIUM FLUROSILICATE	N/A	Y	16919-19-0	2.5 mg/m ³	*2.5 mg/m ³	N
MAGNESIUM FLUROSILICATE	N/A	Y	16949-65-8	*2.5 mg/m ³	*2.5 mg/m ³	N
AMMONIUM OXALATE	N/A	N	1113-38-8	N/A	N/A	N
					* OSHA PEL & ACGIH TLV AS FLUORIDE	

COMPOSITION IS PROPRIETARY.

SECTION 3: HAZARDS IDENTIFICATION

ACUTE HEALTH EFFECTS: TOXIC IF INGESTED OR INHALED, MAY CAUSE EYE IRRITATION OR SERIOUS EYE DAMAGE, CONTACT MAY IRRITATE SKIN. COMPOUNDS WILL LIBERATE TOXIC HYDROGEN FLUORIDE GAS ON CONTACT WITH ACIDS.

CHRONIC HEALTH EFFECTS:

REPEATED OR PROLONGED EXPOSURE MAY CAUSE DERMATITIS. PRE-EXISTING HEALTH CONDITIONS MAY BE AGGRAVATED BY EXPOSURE TO COMPONENTS OF THESE PRODUCTS.

CARCINOGENIC EFFECTS – CLASSIFIED AS 4 (NOT CLASSIFIABLE FOR HUMAN OR ANIMAL)

MUTAGENIC EFFECTS – NOT AVAILABLE

TETRATOGENIC EFFECTS – NONE FOR HUMAN

DEVELOPMENTAL TOXICITY – NOT AVAILABLE

SECTION 4: FIRST AID MEASURES:

EYE CONTACT: IN CASE OF EYE CONTACT, CHECK FOR AND REMOVE CONTACT LENSES. FLUSH WITH TEPID WATER FOR AT LEAST 15 MINUTES WHILE HOLDING TH EYELIDS OPEN. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

SKIN CONTACT: CAREFULLY REMOVE CONTAMINATED CLOTHING, WASH EXPOSED AREA WITH SOAP AND WATER AND SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS OR WORSENS.

INHALATION CONTACT: IN CASE OF INHALATION, OBSERVE PERSONAL SAFETY FIRST, IF POSSIBLE MOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT ADMINISTER OXYGEN. IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL RESPIRATION AND CALL FOR EMERGENCY MEDICAL ASSISTANCE.

INGESTION CONTACT: SEEK IMMEDIATE MEDICAL ATTENTION. GIVE WATER TO DILUTE. DO NOT INDUCE VOMITING UNLESS DIRECTED BY QUALIFIED/LICENSED MEDICAL PERSONNEL. NEVER TRY TO GIVE ANYTHING BY MOUTH IF THE PERSON IS UNCONCIOUS.

SECTION 5: FIRE, EXPLOSION DATA AND MEASURES

FLAMMABILITY: NOT FLAMMABLE

AUTO-IGNITION: NOT APPLICABLE

FLASH POINT: NOT APPLICABLE

FLAMMABLE LIMITS: LEL: NOT APPLICABLE UEL: NOT APPLICABLE

PRODUCTS OF COMBUSTION: ABOVE 100°C POSSIBLE FLUORIDE FUMES

EXTINGUISHING MEDIA: IN PRESENCE OF FIRE USE WATER

SPECIAL FIRE FIGHTING PRECAUTIONS/INSTRUCTIONS:

ALWAYS WEAR SELF-CONTAINED BREATHING APPARATUS ON POSITIVE PRESSURE. USE WATER TO KEEP MATERIAL IN OR NEAR FIRE COOL. AVOID ANY BODILY CONTACT WITH SUBSTANCE OR WATER FROM FIRE FIGHTING. WATER FROM FIRE FIGHTING SHOULD BE CONTAINED AND DISPOSED PER INSTRUCTIONS IN **SECTION 12**.

SECTION 6: ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR RELEASE: ALWAYS WEAR RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT PER SECTION 8. PROVIDE ADEQUATE VENTILATION TO THE AREA OF THE SPILL. AVOID RAISING DUST DURING THE CLEAN UP PROCESS. USE APPROPRIATE TOOLS TO CLEAN UP AS MUCH OF THE SPILL AS POSSIBLE AND PLACE SOLIDS IN A WASTE DISPOSAL CONTAINER. COMPLETE THE CLEAN UP BY MOPPING UP THE REMAINING DUST AND DEBRIS. COLLECT ALL MOP WATER AND DRY MATERIAL AND DISPOSE OF IN ACCORDANCE TO FEDERAL, STATE OR LOCAL GUIDELINES FOR THIS MATERIAL.

SECTION 7: HANDLING AND STORAGE

HANDLING: USE ONLY WITH ADEQUATE VENTILATION. ALWAYS WEAR THE CORRECT PERSONAL PROTECTIVE EQUIPMENT PER **SECTION 8**. AVOID ANY CONTACT WITH EYES OR SKIN. IF YOU HAVE ANY SYMPTOMS OF SICKNESS SEEK MEDICAL ATTENTION AND PROVIDE THE MEDICAL PERSONNEL WITH A COPY OF THIS MSDS.

STORAGE: STORE THIS CHEMICAL IN DRY LOCATION APART FROM ANY OF THE INCOMPATIBLE CHEMICALS LISTED IN **SECTION 10**. AVOID FREEZING OR ELEVATED TEMPERATURES. TEMPERATURES ABOVE 40°C/104°F CAUSE THICKENING.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: USE ADEQUATE VENTILATION TO PROVIDE FRESH AIR DURING POLISHING PROCESS. DO NOT GENERATE DUST, FUMES OR MIST.

PERSONAL PROTECTIVE EQUIPMENT (PPE) DURING POLISHING PROCESS

EYE PROTECTION: SAFETY GLASSES WITH SIDE SHIELDS ARE RECOMMENDED.

RESPIRATORY PROTECTION: DUST RESPIRATOR DURING THE MIXING PROCESS TO PREVENT INHALATION OF DUST

SKIN PROTECTION: PROTECTIVE BOOTS, GLOVES AND APRON TO PREVENT CONTACT WITH SKIN.

PERSONAL PROTECTIVE EQUIPMENT IN CASE OF ACCIDENTAL SPILL

EYE PROTECTION: DUST AND MIST PROTECTIVE GOGGLES OR FACE SHIELD

RESPIRATORY PROTECTION: ½ MASK RESPIRATOR WITH CARTRIDGES MATCHED TO CHEMICAL RELEASE OR DUST.

SKIN PROTECTION: FULL PROTECTIVE SUIT WITH APPROVED BOOTS AND GLOVES.

IN CASE OF SPILL OBSERVE THE ACGIH TLV VALUES WHEN SELECTING THE APPROPRIATE PPE.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	DIA-GLO™ M POWDER (NO LEAD) – GREEN
PHYSICAL STATE:	POWDER
ODOR:	ODORLESS
SOLUBILITY:	SLIGHT SOLUBILITY IN WATER
PH:	3
BOILING POINT:	NOT APPLICABLE
VISCOSITY:	NOT APPLICABLE
FLASH POINT:	NOT APPLICABLE
AUTO IGNITION:	NOT APPLICABLE

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	STABLE UNDER NORMAL CONDITIONS
CONDITIONS TO AVOID:	KEEP POWDERS DRY UNTIL READY FOR USE
MATERIALS TO AVOID:	REACTIVE WITH ACIDS, CHLORINE BLEACH AND OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS:	TOXIC FLUORIDE GASES
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR

SECTION 11: TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY:	INHALATION, INGESTION
TOXICITY:	AMMONIUM FLUOROSILICATE AND MAGNESIUM FLUOROSILICATE – LETHAL ORAL TOXICITY 125 MG PER KILOGRAM IN RAT

SPECIAL REMARKS ON ACUTE EFFECTS ON HUMANS AS POWDER:

SKIN IRRITATION, EYE IRRITATION, IRRITATION OF MUCOUS MEMBRANES
LUNG INJURY, GASTROINTESTINAL TRACT IRRITATION

GENERALLY LOW HAZARD FOR NORMAL INDUSTRIAL USE.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: CONTAINED FLUORIDES CAN BE TOXIC, CARE SHOULD BE TAKEN TO PREVENT ENTRY OF PRODUCT INTO ENVIRONMENT.

BOD AND COD: NOT AVAILABLE

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSE OF UNUSED POWDER ACCORDING TO FEDERAL, STATE OR LOCAL LAWS. EMPTY CONTAINERS MAY CONTAIN TRACE AMOUNTS OF POWDER AND SHOULD BE TREATED AS POSSIBLY HARMFUL

SECTION 14: TRANSPORT INFORMATION

THIS PRODUCT IS NOT A DOT CONTROLLED MATERIAL.

SECTION 15: REGULATORY INFORMATION

29CFR 1910.1200 HAZ COM: IRRITANT, EYES, RESPIRATORY, SKIN

SARA 313: NOT REPORTABLE

HMIS (USA)

HEALTH HAZARD: 3

FIRE HAZARD: 0

REACTIVITY: 1

NFPA (USA)

HEALTH HAZARD: 3

FIRE HAZARD: 0

REACTIVITY: 1

PPE: E

PPE: GLOVES, LAB COAT, BOOTS, GLASSES

SECTION 16: OTHER INFORMATION

DIA-GLO™ POLISHING COMPOUNDS ARE SOLD FOR PROFESSIONAL USE ONLY.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PRECEDURES ARE NOT ADHERED TO AS STIPULATED IN THE MATERIAL SAFETY DATA SHEET.

ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THIS MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED.

FUTHERMORE, VENDEE ASSUMES THE RISK IN USE OF THIS MATERIAL.

<u>CREATION DATE</u>	<u>CREATED BY</u>	
04/13/2011	D. ANDERSON	-
<u>REVISION DATE</u>	<u>REVISED BY</u>	<u>REASON FOR REVISION</u>
01/30/2013	D. ANDERSON	CONTENT REVIEW