

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2021

Version number 8

Revision: 17.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: **Colouring Pastes for Marble Filler**
- Article number: 11001, 11002, 11003, 11004, 11005, 11006, 11007, 11011, 11012

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Application of the substance / the mixture: Stainer
- No further relevant information available.

1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH
Lechstrasse 28
D 90451 Nürnberg
- Tel. +49(0)911-642960
Fax. +49(0)911-644456
e-mail info@akemi.de

- Further information obtainable from: Laboratory

1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.
+44 (171) 635 91 91
National Poison Inform. Centre
Medical Toxicology Unit
Avalonley Road
London SE14 5ER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation.
- Hazard pictograms: Void
- Signal word: Void
- Hazard-determining components of labelling: Not applicable.
- Hazard statements: H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements: P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- #### 2.3 Other hazards
- Results of PBT and vPvB assessment: Not applicable.
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

- Description: Mixture: consisting of the following components.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2021

Version number 8

Revision: 17.03.2021

Trade name: Colouring Pastes for Marble Filler

(Contd. of page 1)

· Dangerous components:

CAS: 141-02-6 EINECS: 205-448-2 Reg.nr.: 01-2119486983-19	bis(2-ethylhexyl)fumarate	Aquatic Chronic 2, H411	1-5%
---	---------------------------	-------------------------	------

· Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****· 4.1 Description of first aid measures**

- General information:** Take affected persons out into the fresh air. Position and transport stably in side position. No special measures required.
- After inhalation:** Supply fresh air; consult doctor in case of complaints.
- After skin contact:** If skin irritation continues, consult a doctor.
- After eye contact:** Rinse opened eye for several minutes under running water.
- After swallowing:** Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

Headache
Dizziness
Nausea

· 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures**· 5.1 Extinguishing media**

- Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released:
Carbon monoxide (CO)
Under certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

- Protective equipment:** Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Wear fully protective suit.

SECTION 6: Accidental release measures**· 6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation
Use respiratory protective device against the effects of fumes/dust/aerosol.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2021

Version number 8

Revision: 17.03.2021

Trade name: Colouring Pastes for Marble Filler

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Keep receptacles tightly sealed.
Use only in well ventilated areas.
No special measures required.

Information about fire - and explosion protection:

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.
Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from oxidising agents.
Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

Storage class:

10

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Additional information about design of technical facilities:**

No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs**141-02-6 bis(2-ethylhexyl)fumarate**

Dermal	DNEL (Langzeit-wiederholt)	42 mg/kg bw/day (ARB)
Inhalative	DNEL (Langzeit-wiederholt)	292 mg/m ³ Air (ARB)

PNECs**141-02-6 bis(2-ethylhexyl)fumarate**

PNEC (wässrig)	1.1 mg/l (KA)
	0.003 mg/l (SW)
	1 mg/l (WAS)
PNEC (fest)	3.2 mg/kg Trockengew (SWS)

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls**Personal protective equipment: General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.
Use skin protection cream for skin protection.
Clean skin thoroughly immediately after handling the product.

Respiratory protection:

Short term filter device:

Filter A/P2

Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2021

Version number 8

Revision: 17.03.2021

Trade name: Colouring Pastes for Marble Filler

(Contd. of page 3)

Skin protection agent recommendation for preventive skin shelter without use of protective gloves:

STOKO EMULSION (<http://www.stoko.com>)

ARRETIL (<http://www.stoko.com>)

Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (<http://www.stoko.com>)

Skin protection recommendation for skin cleaning after product handling:

Kresto Classic (<http://debstoko.com>)

SOLOPOL (<http://www.stoko.com>)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (<http://www.stoko.com>)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level \leq 3, 120 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Butoject (KCL, Art_No. 897, 898)

Butyl rubber, BR

· As protection from splashes gloves made of the following materials are suitable:

Butoject (KCL, Art_No. 897, 898)

Nitrile rubber, NBR

Camatril (KCL, 730, 731, 732, 733)

Chloroprene rubber, CR

Camapren (KCL, Art_No. 720, 722, 726)

Butoject (KCL, Art_No. 897, 898)

Butyl rubber, BR

· Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves

Nitrile rubber, NBR

· Eye protection:

Goggles recommended during refilling

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2021

Version number 8

Revision: 17.03.2021

Trade name: Colouring Pastes for Marble Filler

(Contd. of page 4)

· **Body protection:** Protective work clothing**SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

Form:	Pasty
Colour:	Various colours

· **Odour:** Characteristic· **Odour threshold:** Not determined.· **pH-value:** Not applicable**· Change in condition**

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	184 °C

· **Flash point:** 76 °C· **Flammability (solid, gas):** Not applicable.· **Ignition temperature:** 250 °C· **Decomposition temperature:** Not determined.· **Auto-ignition temperature:** Product is not selfigniting.· **Explosive properties:** Product does not present an explosion hazard.
SADT 50°C**· Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapour pressure:** Not determined.· **Density at 20 °C:** 1.63 g/cm³ ([1,42 - 1,86 g/cm³])· **Relative density** Not determined.· **Vapour density** Not determined.· **Evaporation rate** Not determined.**· Solubility in / Miscibility with**

water:	Not miscible or difficult to mix.
--------	-----------------------------------

· **Partition coefficient: n-octanol/water:** Not determined.**· Viscosity:**

Dynamic:	Not determined.
Kinematic at 20 °C:	0 s (DIN 53211/4)

· Solvent content:

Solids content:	90.4 %
-----------------	--------

· **9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity**· **10.1 Reactivity** No further relevant information available.**· 10.2 Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.· **10.3 Possibility of hazardous reactions** Exothermic polymerisation.
Reacts with acids.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2021

Version number 8

Revision: 17.03.2021

Trade name: Colouring Pastes for Marble Filler

(Contd. of page 5)

- **10.4 Conditions to avoid** Reacts with strong alkali.
- **10.5 Incompatible materials:** Reacts with strong oxidising agents.
- **10.6 Hazardous decomposition products:** No further relevant information available.
Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

141-02-6 bis(2-ethylhexyl)fumarate

Oral	LD50	29,200 mg/kg (rat)
	NOAEL-Werte	≥1,000 mg/kg (rat)
Dermal	LD50	18,840 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information
12.1 Toxicity

- **Aquatic toxicity:**

141-02-6 bis(2-ethylhexyl)fumarate

NOEC	0.76 mg/kg (daphnia magna)
	0.3 mg/kg (piscis)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must be specially treated adhering to official regulations.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2021

Version number 8

Revision: 17.03.2021

Trade name: Colouring Pastes for Marble Filler

(Contd. of page 6)

Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents:Alcohol
acetone**SECTION 14: Transport information**· **14.1 UN-Number**· ADR, ADN, IMDG, IATA

Void

· **14.2 UN proper shipping name**· ADR, ADN, IMDG, IATA

Void

· **14.3 Transport hazard class(es)**· ADR, ADN, IMDG, IATA· Class

Void

· **14.4 Packing group**· ADR, IMDG, IATA

Void

· **14.5 Environmental hazards:**· Marine pollutant:

No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· Transport/Additional information:

Not dangerous according to the above specifications.

· UN "Model Regulation":

Void

SECTION 15: Regulatory information· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· Directive 2012/18/EU· Named dangerous substances - ANNEX I

None of the ingredients is listed.

· National regulations:· Information about limitation of use: Employment restrictions concerning juveniles must be observed.· Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

· VOC EU

0.0 g/l

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H411 Toxic to aquatic life with long lasting effects.

· Recommended restriction of use

refer to Technical Data Sheet (TDS)

· Department issuing SDS:

Laboratory

· Contact:

Elke Hake

Fon ++49 (0)911 64296-59

@mail E.Hake@akemi.de

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.03.2021

Version number 8

Revision: 17.03.2021

Trade name: Colouring Pastes for Marble Filler

(Contd. of page 7)

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
REACH directive 1907/2006/EC

· Sources

- * Data compared to the previous version altered.

Adaptation in accordance with REACH directive 1907/2006/EC

GB