

# **MATERIAL SAFETY DATA SHEET**

8400 Green Meadows Dr. P.O. Box 545 Lewis Center, OH 43035

P: 740.548.4100 F: 740.548.7616

#### SECTION 1: PRODUCT AND EMERGENCY CONTACT INFORMATION

MATERIAL NAME:	DIA-GLO™ D - DARK GRANITE POLISHING COMPOUND
	DIA-GLO™ L - LIGHT GRANITE POLISHING COMPOUND
	DIA-GLO <sup>™</sup> S - BLACK GRANITE POLISHING COMPOUND

- PRODUCT CODES:
   DIA-GLO™ D C920GD03 & C920GD24

   DIA-GLO™ L C920GL03 & C920GL24
   DIA-GLO™ S C920SP02 & C920SP01
- **EMERGENCY CONTACTS:** NORTH AMERICA (24 HRS) CHEMTREC 1 (800) 424-9300 OUTSIDE NORTH AMERICA (COLLECT) – 1 (703) 527-3887
- **NON EMERGENCY CONTACT:** 1 (740) 548-4100 (8:00 AM 5:00 PM EST)

### **SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

		SARA 313			ACGIH	
CHEMICAL NAME	COMMON NAME	<u>Y/N</u>	<u>CAS #</u>	<u>OSHA PEL</u>	<u>TLV</u>	<b>CARCINOGEN</b>
ALUMINUM OXIDE	N/A	Ν	1344-28-1	N/A	10	N/CLASS 4
INDUSTRIAL DIAMOND	N/A	Ν	7782-40-3	N/A	10.0 (PNOC)	N/CLASS 4
MAGNESIUM FLUORIDE	N/A	Ν	1897-25-60	N/A	2.5 (AS F)	N/CLASS 4

COMPOSITION IS PROPRIETARY.



# SECTION 3: HAZARDS INDENTIFICATION

**ACUTE HEALTH EFFECTS:** TOXIC IF INGESTED OR INHALED, MAY CAUSE EYE IRRITATION OR SERIOUS EYE DAMAGE, CONTACT MAY IRRITATE SKIN. COMPOUNDS WILL LIBERATE TOXIC HYDROGEN FLUORIDE GAS ON CONTACT WITH ACIDS.

### **CHRONIC HEALTH EFFECTS:**

REPEATED OR PROLONGED EXPOSURE MAY CAUSE DERMATITIS. PRE-EXISTING HEALTH CONDITIONS MAY BE AGGRAVATED BY EXPOSURE TO COMPONENTS OF THESE PRODUCTS.

**CARCINOGENIC EFFECTS** – CLASSIFIED AS 4 (NOT CLASSIFIABLE FOR HUMAN OR ANIMAL)

**MUTAGENIC EFECTS** – NOT AVAILABLE

**TETRATOGENIC EFFECTS** – NONE FOR HUMAN

**DEVELOPMENTAL TOXICITY** – NOT AVAILABLE

### **SECTION 4: FIRST AID MEASURES:**

**EYE CONTACT:** IN CASE OF EYE CONTACT, CHECK FOR AND REMOVE CONTACT LENSES. FLUSH WITH TEPID WATER FOR AT LEAST 15 MINUTES WHILE HOLDING TH EYELIDS OPEN. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

**SKIN CONTACT:** CAREFULLY REMOVE CONTAMINATED CLOTHING, WASH EXPOSED AREA WITH SOAP AND WATER AND SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS OR WORSENS.

**INHALATION CONTACT:** IN CASE OF INHALATION, OBSERVE PERSONAL SAFETY FIRST, IF POSSIBLE MOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT ADMINISTER OXYGEN. IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL RESPIRATION AND CALL FOR EMERGENCY MEDICAL ASSISTANCE.

PAGE 2 OF 7

8400 Green Meadows Dr. P.O. Box 545 Lewis Center, OH 43035



**INGESTION CONTACT:** SEEK IMMEDIATE MEDICAL ATTENTION. GIVE WATER TO DILUTE. DO NOT INDUCE VOMITING UNLESS DIRECTED BY QUALIFIED/LICENSED MEDICAL PERSONNEL. NEVER TRY TO GIVE ANYTHING BY MOUTH IF THE PERSON IS UNCONCIOUS.

P: 740.548.4100 F: 740.548.7616

# **SECTION 5: FIRE, EXPLOSION DATA AND MEASURES**

FLAMMABILITY: NOT FLAMMABLE

AUTO-IGNITION: NOT APPLICABLE

FLASH POINT: NOT APPLICABLE

FLAMMABLE LIMITS: LEL: NOT APPLICABLE

**UEL:** NOT APPLICABLE

PRODUCTS OF COMBUSTION: ABOVE 100°C POSSIBLE FLUORIDE FUMES

EXTINGUISHING MEDIA: IN PRESENCE OF FIRE USE WATER

SPECIAL FIRE FIGHTING PRECAUTIONS/INSTRUCTIONS:

ALWAYS WEAR SELF-CONTAINED BREATHING APPARATUS ON POSITIVE PRESSURE. USE WATER TO KEEP MATERIAL IN OR NEAR FIRE COOL. AVOID ANY BODILY CONTACT WITH SUBSTANCE OR WATER FROM FIRE FIGHTING. WATER FROM FIRE FIGHTING SHOULD BE CONTAINED AND DISPOSED PER INSTRUCTIONS IN **SECTION 12**.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

IN CASE OF SPILL OR RELEASE: <u>ALWAYS WEAR RECOMMENDED PERSONAL PROTECTIVE</u> <u>EQUIPMENT PER SECTION 8.</u> PROVIDE ADEQUATE VENTILATION TO THE AREA OF THE SPILL. AVOID RAISING DUST DURING THE CLEAN UP PROCESS. USE APPROPRIATE TOOLS TO CLEAN UP AS MUCH OF THE SPILL AS POSSIBLE AND PLACE SOLIDS IN A WATE DISPOSAL CONTAINER. COMPLETE THE CLEAN UP BY MOPPING UP THE REMAINING DUST AND DEBRIS. COLLECT ALL MOP WATER AND DRY MATERIAL AND DISPOSE OF IN ACCORDANCE TO FEDERAL, STATE OR LOCAL GUIDELINES FOR THIS MATERIAL.

PAGE 3 OF 7



### **SECTION 7: HANDLING AND STORAGE**

HANDLING: USE ONLY WITH ADEQUATE VENTILATION. ALWAYS WEAR THE CORRECT PERSONAL PROTECTIVE EQUIPMENT PER SECTION 8. AVOID ANY CONTACT WITH EYES OR SKIN. IF YOU HAVE ANY SYMPTOMS OF SICKNESS SEEK MEDICAL ATTENTION AND PROVIDE THE MEDICAL PERSONNEL WITH A COPY OF THIS MSDS.

**STORAGE:** STORE THIS CHEMICAL IN DRY LOCATION APART FROM ANY OF THE INCOMPATIBLE CHEMICALS LISTED IN **SECTION 10.** 

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**ENGINEERING CONTROLS:** USE ADEQUATE VENTILATION TO PROVIDE FRESH AIR DURING POLISHING PROCESS. DO NOT GENERATE DUST, FUMES OR MIST.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE) DURING POLISHING PROCESS

EYE PROTECTION: SAFETY GLASSES WITH SIDE SHIELDS ARE RECOMMENDED.

**RESPIRATORY PROTECTION:** DUST RESPIRATOR DURING THE MIXING PROCESS TO PREVENT INHALATION OF DUST

**SKIN PROTECTION:** PROTECTIVE BOOTS, GLOVES AND APRON TO PREVENT CONTACT WITH SKIN.

PERSONAL PROTECTIVE EQUIPMENT IN CASE OF ACCIDENTAL SPILL

EYE PROTECTION: DUST AND MIST PROTECTIVE GOGGLES OR FACE SHIELD

**RESPIRATORY PROTECTION:** ½ MASK RESPIRATOR WITH CARTRIDGES MATCHED TO CHEMICAL RELEASE OR DUST.

SKIN PROTECTION: FULL PROTECTIVE SUIT WITH APPROVED BOOTS AND GLOVES.

IN CASE OF SPILL OBSERVE THE ACGIH TLV VALUES WHEN SELECTING THE APPROPRIATE PPE.

PAGE 4 OF 7

8400 Green Meadows Dr. P.O. Box 545 Lewis Center, OH 43035



### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** DIA-GLO<sup>™</sup> D & TYPE S – DARK GRAY/BLACK

DIA-GLO™ L – WHITE

PHYSICAL STATE: POWDER

ODOR: ODORLESS

**SOLUBILITY:** COMPLETELY SOLUBLE IN WATER

PH: 7 to 8 in water

**BOILING POINT:** NOT APPLICABLE

VISCOSITY: NOT APPLICABLE

FLASH POINT: NOT APPLICABLE

AUTO IGNITION: NOT APPLICABLE

# SECTION 10: STABILITY AND REACTIVITY

STABILITY: STABLE UNDER NORMAL CONDITIONS

**CONDITIONS TO AVOID:** KEEP POWDERS DRY UNTIL READY FOR USE

MATERIALS TO AVOID: REACTIVE WITH ACIDS AND OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS: TOXIC FLUORIDE GASES

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

# **SECTION 11: TOXICOLOGICAL INFORMATION**

ROUTES OF ENTRY: INHALATION, INGESTION

 TOXICITY:
 MAGNESIUM FLUOROSILICATE – LETHAL ORAL TOXICITY 125 MG PER

 KILOGRAM IN RAT
 KILOGRAM IN RAT

PAGE 5 OF 7

8400 Green Meadows Dr. P.O. Box 545 Lewis Center, OH 43035



P: 740.548.4100 F: 740.548.7616

#### SPECIAL REMARKS ON ACUTE EFFECTS ON HUMANS AS POWDER:

SKIN IRRITATION, EYE IRRITATION, IRRITATION OF MUCOUS MEMBRANES LUNG INJURY, GASTROINTESTINAL TRACT IRRITATION

GENERALLY LOW HAZARD FOR NORMAL INDUSTRIAL USE.

### **SECTION 12: ECOLOGICAL INFORMATION**

**ECOTOXICITY:** CONTAINED FLUORIDES CAN BE TOXIC, CARE SHOULD BE TAKEN TO PREVENT ENTRY OF PRODUCT INTO ENVIRONMENT.

BOD AND COD: NOT AVAILABLE

### **SECTION 13: DISPOSAL CONSIDERATIONS**

DISPOSE OF UNUSED POWDER ACCORDING TO FEDERAL, STATE OR LOCAL LAWS. EMPTY CONTAINERS MAY CONTAIN TRACE AMOUNTS OF POWDER AND SHOULD BE TREATED AS POSSIBLY HARMFUL

# **SECTION 14: TRANSPORT INFORMATION**

THIS PRODUCT IS NOT A DOT CONTROLLED MATERIAL.

### **SECTION 15: REGULATORY INFORMATION**

29CFR 1910.1200 HAZ COM:

IRRITANT, EYES, RESPIRATORY, SKIN

SARA 313:

NOT REPORTABLE

PAGE 6 OF 7



8400 Green Meadows Dr.

				P.O. B0x 545
HMIS (USA)		NFPA (USA)		Lewis Center, OH 43035 P: 740.548.4100
HEALTH HAZARD: 2	2	HEALTH HAZARD:	2	<b>F</b> : 740.548.7616
FIRE HAZARD:	0	FIRE HAZARD:	0	
REACTIVITY:	0	REACTIVITY:	0	
PPE: E	PPE:	GLOVES, LAB COA	T, BOOTS, GLASSES	

# **SECTION 16: OTHER INFORMATION**

DIA-GLO™ POLISHING COMPOUNDS ARE SOLD FOR PROFESSIONAL USE ONLY.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PRECEDURES ARE NOT ADHERED TO AS STIPULATED IN THE MATERIAL SAFETY DATA SHEET.

ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THIS MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED.

FUTHERMORE, VENDEE ASSUMES THE RISK IN USE OF THIS MATERIAL.

<b>CREATION DATE</b>	CREATED BY	*
3/1/2011	D. ANDERSON	
<b>REVISION DATE</b>	<b>REVISED BY</b>	REASON FOR REVISION
01/30/2013	D. ANDERSON	CONTENT REVIEW

# **MATERIAL SAFETY DATA SHEET**

8400 Green Meadows Dr. P.O. Box 545 Lewis Center, OH 43035

P: 740.548.4100 F: 740.548.7616

### SECTION 1: PRODUCT AND EMERGENCY CONTACT INFORMATION

MATERIAL NAME: DIA-GLO<sup>™</sup> M POWDER - MARBLE POLISHING COMPOUND

**PRODUCT CODES:** C920M003 & C920M024

**EMERGENCY CONTACTS:** NORTH AMERICA (24 HRS) – CHEMTREC 1 (800) 424-9300 OUTSIDE NORTH AMERICA (COLLECT) – 1 (703) 527-3887

NON – EMERGENCY CONTACT: 1 (740) 548-4100 (8:00 AM – 5:00 PM EST)

# **SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

		SARA 313			ACGIH	
CHEMICAL NAME	<u>COMMON</u> <u>NAME</u>	<u>Y/N</u>	<u>CAS #</u>	<u>OSHA</u> <u>PEL</u>	TLV	<u>CARCINOGEN</u>
OXALIC ACID	N/A	Y	144-62-7	1 mg/m³	1 mg/m³	Ν
ALUMINUM OXIDE	N/A	N	1344-28-1	5 mg/m³	5 mg/m³	Ν
SULFUR	N/A	Y	7704-34-9	N/A	N/A	N
ZINC OXIDE	N/A	N	1314-13-2	10 mg/m³	10 mg/m³	N
AMMONIUM FLUOROSILICATE	N/A	Y	16919-19-0	2.5 mg/m³	*2.5 mg/m³	N
MAGNESIUM FLUOROSILICATE	N/A	Y	16949-65-8	*2.5 mg/m <sup>3</sup>	*2.5 mg/m³	N
AMMONIUM OXALATE	N/A	N	1113-38-8	N/A	N/A	N
	*				* OSHA PEL & ACGIH TLV AS FLUORIDE	

COMPOSITION IS PROPRIETARY.

PAGE 1 OF 7





# **SECTION 3: HAZARDS INDENTIFICATION**

**ACUTE HEALTH EFFECTS:** TOXIC IF INGESTED OR INHALED, MAY CAUSE EYE IRRITATION OR SERIOUS EYE DAMAGE, CONTACT MAY IRRITATE SKIN. COMPOUNDS WILL LIBERATE TOXIC HYDROGEN FLUORIDE GAS ON CONTACT WITH ACIDS.

### **CHRONIC HEALTH EFFECTS:**

REPEATED OR PROLONGED EXPOSURE MAY CAUSE DERMATITIS. PRE-EXISTING HEALTH CONDITIONS MAY BE AGGRAVATED BY EXPOSURE TO COMPONENTS OF THESE PRODUCTS.

**CARCINOGENIC EFFECTS** – CLASSIFIED AS 4 (NOT CLASSIFIABLE FOR HUMAN OR ANIMAL)

**MUTAGENIC EFECTS** – NOT AVAILABLE

**TETRATOGENIC EFFECTS** – NONE FOR HUMAN

**DEVELOPMENTAL TOXICITY** – NOT AVAILABLE

### **SECTION 4: FIRST AID MEASURES:**

**EYE CONTACT:** IN CASE OF EYE CONTACT, CHECK FOR AND REMOVE CONTACT LENSES. FLUSH WITH TEPID WATER FOR AT LEAST 15 MINUTES WHILE HOLDING TH EYELIDS OPEN. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

**SKIN CONTACT:** CAREFULLY REMOVE CONTAMINATED CLOTHING, WASH EXPOSED AREA WITH SOAP AND WATER AND SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS OR WORSENS.

**INHALATION CONTACT:** IN CASE OF INHALATION, OBSERVE PERSONAL SAFETY FIRST, IF POSSIBLE MOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT ADMINISTER OXYGEN. IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL RESPIRATION AND CALL FOR EMERGENCY MEDICAL ASSISTANCE.

PAGE 2 OF 7

8400 Green Meadows Dr. P.O. Box 545 Lewis Center, OH 43035



**INGESTION CONTACT:** SEEK IMMEDIATE MEDICAL ATTENTION. GIVE WATER TO DILUTE. DO NOT INDUCE VOMITING UNLESS DIRECTED BY QUALIFIED/LICENSED MEDICAL PERSONNEL. NEVER TRY TO GIVE ANYTHING BY MOUTH IF THE PERSON IS UNCONCIOUS.

P: 740.548.4100 F: 740.548.7616

# **SECTION 5: FIRE, EXPLOSION DATA AND MEASURES**

FLAMMABILITY: NOT FLAMMABLE

AUTO-IGNITION: NOT APPLICABLE

FLASH POINT: NOT APPLICABLE

FLAMMABLE LIMITS: LEL: NOT APPLICABLE

**UEL:** NOT APPLICABLE

PRODUCTS OF COMBUSTION: ABOVE 100°C POSSIBLE FLUORIDE FUMES

EXTINGUISHING MEDIA: IN PRESENCE OF FIRE USE WATER

SPECIAL FIRE FIGHTING PRECAUTIONS/INSTRUCTIONS:

ALWAYS WEAR SELF-CONTAINED BREATHING APPARATUS ON POSITIVE PRESSURE. USE WATER TO KEEP MATERIAL IN OR NEAR FIRE COOL. AVOID ANY BODILY CONTACT WITH SUBSTANCE OR WATER FROM FIRE FIGHTING. WATER FROM FIRE FIGHTING SHOULD BE CONTAINED AND DISPOSED PER INSTRUCTIONS IN **SECTION 12**.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

IN CASE OF SPILL OR RELEASE: <u>ALWAYS WEAR RECOMMENDED PERSONAL PROTECTIVE</u> <u>EQUIPMENT PER SECTION 8.</u> PROVIDE ADEQUATE VENTILATION TO THE AREA OF THE SPILL. AVOID RAISING DUST DURING THE CLEAN UP PROCESS. USE APPROPRIATE TOOLS TO CLEAN UP AS MUCH OF THE SPILL AS POSSIBLE AND PLACE SOLIDS IN A WATE DISPOSAL CONTAINER. COMPLETE THE CLEAN UP BY MOPPING UP THE REMAINING DUST AND DEBRIS. COLLECT ALL MOP WATER AND DRY MATERIAL AND DISPOSE OF IN ACCORDANCE TO FEDERAL, STATE OR LOCAL GUIDELINES FOR THIS MATERIAL.

PAGE 3 OF 7



### **SECTION 7: HANDLING AND STORAGE**

HANDLING: USE ONLY WITH ADEQUATE VENTILATION. ALWAYS WEAR THE CORRECT PERSONAL PROTECTIVE EQUIPMENT PER SECTION 8. AVOID ANY CONTACT WITH EYES OR SKIN. IF YOU HAVE ANY SYMPTOMS OF SICKNESS SEEK MEDICAL ATTENTION AND PROVIDE THE MEDICAL PERSONNEL WITH A COPY OF THIS MSDS.

**STORAGE:** STORE THIS CHEMICAL IN DRY LOCATION APART FROM ANY OF THE INCOMPATIBLE CHEMICALS LISTED IN **SECTION 10.** AVOID FREEZING OR ELEVATED TEMPERATURES. TEMPERATURES ABOVE 40°C/104°F CAUSE THICKENING.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**ENGINEERING CONTROLS:** USE ADEQUATE VENTILATION TO PROVIDE FRESH AIR DURING POLISHING PROCESS. DO NOT GENERATE DUST, FUMES OR MIST.

PERSONAL PROTECTIVE EQUIPMENT (PPE) DURING POLISHING PROCESS

EYE PROTECTION: SAFETY GLASSES WITH SIDE SHIELDS ARE RECOMMENDED.

**RESPIRATORY PROTECTION:** DUST RESPIRATOR DURING THE MIXING PROCESS TO PREVENT INHALATION OF DUST

**SKIN PROTECTION:** PROTECTIVE BOOTS, GLOVES AND APRON TO PREVENT CONTACT WITH SKIN.

#### PERSONAL PROTECTIVE EQUIPMENT IN CASE OF ACCIDENTAL SPILL

EYE PROTECTION: DUST AND MIST PROTECTIVE GOGGLES OR FACE SHIELD

**RESPIRATORY PROTECTION:** ½ MASK RESPIRATOR WITH CARTRIDGES MATCHED TO CHEMICAL RELEASE OR DUST.

SKIN PROTECTION: FULL PROTECTIVE SUIT WITH APPROVED BOOTS AND GLOVES.

IN CASE OF SPILL OBSERVE THE ACGIH TLV VALUES WHEN SELECTING THE APPROPRIATE PPE.

PAGE 4 OF 7

8400 Green Meadows Dr. P.O. Box 545 Lewis Center, OH 43035



P: 740.548.4100 F: 740.548.7616

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE: DIA-GLO<sup>™</sup> M POWDER (NO LEAD) – GREEN

PHYSICAL STATE: POWDER

ODOR: ODORLESS

SOLUBILITY: SLIGHT SOLUBILITY IN WATER

3

PH:

BOILING POINT: NOT APPLICABLE

VISCOSITY: NOT APPLICABLE

FLASH POINT: NOT APPLICABLE

AUTO IGNITION: NOT APPLICABLE

# SECTION 10: STABILITY AND REACTIVITY

STABILITY: STABLE UNDER NORMAL CONDITIONS

CONDITIONS TO AVOID: KEEP POWDERS DRY UNTIL READY FOR USE

MATERIALS TO AVOID: REACTIVE WITH ACIDS, CHLORINE BLEACH AND OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS: TOXIC FLUORIDE GASES

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

# SECTION 11: TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY: INHALATION, INGESTION

 TOXICITY:
 AMMONIUM FLUOROSILICATE AND MAGNESIUM FLUOROSILICATE –

 LETHAL ORAL TOXICITY 125 MG PER KILOGRAM IN RAT

PAGE 5 OF 7



**P**: 740.548.4100 **F**: 740.548.7616

#### SPECIAL REMARKS ON ACUTE EFFECTS ON HUMANS AS POWDER:

SKIN IRRITATION, EYE IRRITATION, IRRITATION OF MUCOUS MEMBRANES LUNG INJURY, GASTROINTESTINAL TRACT IRRITATION

GENERALLY LOW HAZARD FOR NORMAL INDUSTRIAL USE.

### **SECTION 12: ECOLOGICAL INFORMATION**

**ECOTOXICITY:** CONTAINED FLUORIDES CAN BE TOXIC, CARE SHOULD BE TAKEN TO PREVENT ENTRY OF PRODUCT INTO ENVIRONMENT.

BOD AND COD: NOT AVAILABLE

### **SECTION 13: DISPOSAL CONSIDERATIONS**

DISPOSE OF UNUSED POWDER ACCORDING TO FEDERAL, STATE OR LOCAL LAWS. EMPTY CONTAINERS MAY CONTAIN TRACE AMOUNTS OF POWDER AND SHOULD BE TREATED AS POSSIBLY HARMFUL

# **SECTION 14: TRANSPORT INFORMATION**

THIS PRODUCT IS NOT A DOT CONTROLLED MATERIAL.

### **SECTION 15: REGULATORY INFORMATION**

29CFR 1910.1200 HAZ COM:

IRRITANT, EYES, RESPIRATORY, SKIN

SARA 313:

NOT REPORTABLE

PAGE 6 OF 7



8400 Green Meadows Dr.

					P.O. Box 545
HMIS (USA)			NFPA (USA)		Lewis Center, OH 43035 P: 740.548.4100
HEALTH HAZARD:	3		HEALTH HAZARD:	3	<b>F</b> : 740.548.7616
FIRE HAZARD:	0		FIRE HAZARD:	0	
REACTIVITY:	1		REACTIVITY:	1	
PPE: E		PPE:	GLOVES, LAB COA	T, BOOTS, GLASSES	

# **SECTION 16: OTHER INFORMATION**

DIA-GLO™ POLISHING COMPOUNDS ARE SOLD FOR PROFESSIONAL USE ONLY.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PRECEDURES ARE NOT ADHERED TO AS STIPULATED IN THE MATERIAL SAFETY DATA SHEET.

ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THIS MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED.

FUTHERMORE, VENDEE ASSUMES THE RISK IN USE OF THIS MATERIAL.

<b>CREATION DATE</b>	CREATED BY	<u>.</u>
04/13/2011	D. ANDERSON	
<b>REVISION DATE</b>	<b>REVISED BY</b>	REASON FOR REVISION
01/30/2013	D. ANDERSON	CONTENT REVIEW