

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 06/15/2020 Version: 1.0

# **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : Rodding Bonder

Product code : RD50

1.2. Recommended use and restrictions on use

Recommended use : Adhesives, sealants

Restrictions on use : No additional information available

1.3. Supplier

Integra Adhesives 600 Ellis Road

Durham, NC 27703 - USA T 1-919-598-2400

www.integra-adhesives.com

1.4. Emergency telephone number

Emergency number : Transportation and Medical: CHEMTEL Tel. 800-255-3924; +1 813-248-0585 (International)

# SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS** classification

Flammable liquids, Category 2 Acute toxicity (oral), Category 4 Skin corrosion/irritation, Category 2 Skin sensitisation, Category 1

Reproductive toxicity, Category 2

Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Full text of H statements : see section 16

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation.

# 2.2. GHS Label elements, including precautionary statements

### **GHS-US labelling**

Hazard pictograms (GHS)







Signal word (GHS) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapour.

H302 - Harmful if swallowed. H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H335 - May cause respiratory irritation.

H361 - Suspected of damaging fertility or the unborn child.

Precautionary statements (GHS) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

06/15/2020 EN (English) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P302+P352 - If on skin: Wash with plenty of water.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P312 - Call a poison center/doctor if you feel unwell

P321 - Specific treatment (see supplemental first aid instruction on this label).

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish. P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

0.48% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS classification
Methyl methacrylate	(CAS-No.) 80-62-6	25 - 45	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	(CAS-No.) 25068-38-6	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
1,4 BUTANEDIOL DIMETHACRYLATE	(CAS-No.) 2082-81-7	1 - 2	Skin Sens. 1B, H317
DIBENZOYL PEROXIDE	(CAS-No.) 94-36-0	0.1 - 1	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317
Tricresylphosphate	(CAS-No.) 1330-78-5	0.1 - 1	Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL	(CAS-No.) 38668-48-3	0.1 - 1	Acute Tox. 2 (Oral), H300 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412
pentaerythritol tetra(mercaptoacetate)	(CAS-No.) 10193-99-4	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1A, H317

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First-aid measures**

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get

medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all

contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse.

Wash skin thoroughly with mild soap and water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

06/15/2020 EN (English) 2/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Suspected of damaging fertility or the unborn child.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard. Harmful if

swallowed.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapour. Flammable vapours may accumulate in the container.

Explosion hazard : May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed

containers

Reactivity : No dangerous reactions known under normal conditions of use.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Do not breathe aerosol. Do not breathe vapour. Do not get in eyes, on skin, or on

smoking. Do not breathe aerosol. Do not breathe vapour. Do not get in eyes, on skin, or on clothing. Do NOT taste or swallow. Do not touch spilled material. Ensure adequate ventilation.

Use personal protective equipment as required.

#### 6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Refer to section 8.2. Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

## 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Do not breathe vapours. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Do not breathe aerosol.

Use personal protective equipment as required.

06/15/2020 EN (English) 3/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures

: Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical/ventilating/lighting

equipment.

Storage conditions : Keep only in the original container. Keep in fireproof place. Keep container tightly closed.

Incompatible products : Strong bases. Strong oxidizers. Peroxides. amines. Halogens. Reducing agents.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Prohibitions on mixed storage : Incompatible materials.

Storage area : Store in dry, cool, well-ventilated area.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

Methyl methacrylate (80-62-	6)	
ACGIH	Local name	Methyl methacrylate
ACGIH	ACGIH TWA (mg/m³)	205 mg/m³
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	ACGIH STEL (mg/m³)	410 mg/m³
ACGIH	ACGIH STEL (ppm)	100 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT & eye irr; body weight eff; pulm edema. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2020
OSHA	OSHA PEL (TWA) (mg/m³)	410 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
NIOSH	NIOSH REL (TWA) (mg/m³)	410 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	100 ppm

# 1,4 BUTANEDIOL DIMETHACRYLATE (2082-81-7)

Not applicable

# pentaerythritol tetra(mercaptoacetate) (10193-99-4)

Not applicable

# 1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (38668-48-3)

Not applicable

# reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) (25068-38-6)

Not applicable

DIBENZOYL PEROXIDE (94-36-0)		
ACGIH	Local name	Benzoyl peroxide
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
ACGIH	Remark (ACGIH)	TLV® Basis: URT & skin irr. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2020
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³

# Tricresylphosphate (1330-78-5)

Not applicable

06/15/2020 EN (English) 4/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Avoid creating mist or spray. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure. Ensure good ventilation of the

work station.

Environmental exposure controls : Prevent leakage or spillage.

## 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Butyl rubber gloves. Breakthrough time: > 66 min

# Eye protection:

Chemical goggles or safety glasses

### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Approved organic vapour respirator. Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Viscous liquid.

Colour : white Odour : Solvent

Odour threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Flash point : No data available Relative evaporation rate (butylacetate=1) : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour.

Vapour pressure No data available Relative vapour density at 20 °C : No data available : No data available Relative density Solubility No data available Log Pow : No data available Auto-ignition temperature No data available : No data available Decomposition temperature Viscosity, kinematic : No data available 20000 - 160000 cP Viscosity, dynamic **Explosive limits** : No data available Explosive properties : No data available

### 9.2. Other information

Oxidising properties

No additional information available

06/15/2020 EN (English) 5/12

: No data available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

## 10.2. Chemical stability

Stable under normal conditions. Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

# 10.3. Possibility of hazardous reactions

Hazardous Polymerization may occur.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

## 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers. Peroxides. amines. Halogens. Reducing agents.

## 10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). Methyl methacrylate. hydrocarbons.

# **SECTION 11: Toxicological information**

SECTION 11: Toxicological Information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ATE (oral)	1095.948 mg/kg bodyweight	
Unknown acute toxicity (GHS_US)	0.48% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)	
Methyl methacrylate (80-62-6)		
LD50 oral rat	7900 – 9400 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
ATE (oral)	7900 mg/kg bodyweight	
ATE (dust,mist)	29.8 mg/l/4h	
pentaerythritol tetra(mercaptoacetate) (10193	-99-4)	
LD50 oral rat	> 1000 (≤ 2000) mg/kg	
LC50 inhalation rat (mg/l)	> 3363 mg/m³	
ATE (oral)	2000 mg/kg bodyweight	
1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (38668-	48-3)	
ATE (oral)	5 mg/kg bodyweight	
reaction product: bisphenol-A-(epichlorhydrii	n); epoxy resin (number average molecular weight ≤ 700) (25068-38-6)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5 mg/l	
DIBENZOYL PEROXIDE (94-36-0)		
LD50 oral rat	> 5000 mg/kg bodyweight	
Tricresylphosphate (1330-78-5)		
LD50 oral rat	> 20000 mg/kg	
LC50 inhalation rat (mg/l)	> 11.1 mg/l 1 h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Methyl methacrylate (80-62-6)		
IARC group	3 - Not classifiable	
DIBENZOYL PEROXIDE (94-36-0)		
IARC group	3 - Not classifiable	

06/15/2020 EN (English) 6/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : May cause respiratory irritation.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Likely routes of exposure : Skin and eye contact. Inhalation.

Symptoms/effects : Suspected of damaging fertility or the unborn child.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard. Harmful if

swallowed.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Methyl methacrylate (80-62-6)	
LC50 fish 1	> 79 mg/l 96 h
EC50 crustacea	69 mg/l 48 h

pentaerythritol tetra(mercaptoacetate) (10193-99-4)		
LC50 fish 1	> 100 mg/l 96 h	
EC50 crustacea	> 1.06 mg/l 48 h	

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) (25068-38-6)	
LC50 fish 1	1.2 mg/l 96 h
EC50 crustacea	2.8 mg/l 48 h
ErC50 (algae)	101 (≥ 100) mg/l
LOEC (acute)	3.2 mg/l
NOEC (acute)	1 mg/l

Tricresylphosphate (1330-78-5)		
LC50 fish 1	0.6 mg/l 4 d	
EC50 crustacea	0.146 mg/l 2 d	
NOEC (acute)	0.56 mg/l 4 d	

# 12.2. Persistence and degradability

Rodding Bonder		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Methyl methacrylate (80-62-6)		
Persistence and degradability	Readily biodegradable.	
BOD (% of ThOD)	94.3 % ThOD	

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) (25068-38-6)	
Persistence and degradability	Readily biodegradable.

## 12.3. Bioaccumulative potential

Rodding Bonder	
Bioaccumulative potential Not established.	
Methyl methacrylate (80-62-6)	
Log Pow	1.38

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) (25068-38-6)		
Log Pow	Pow ≥ 2.918	
Bioaccumulative potential	Not expected to bioaccumulate.	

06/15/2020 EN (English) 7/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tricresylphosphate (1330-78-5)	
Log Kow	5.93

## 12.4. Mobility in soil

Rodding Bonder	
Ecology - soil	Not established.

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable. Hazardous waste

due to potential risk of explosion.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN1133 ADHESIVES, 3, II

UN-No.(DOT) : UN1133
Proper Shipping Name (DOT) : ADHESIVES

Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 173 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Special Provisions (49 CFR 172.102)

: 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packagings may be increased to 5 L (1.3 gallons).

383 - Packages containing toy plastic or paper caps for toy pistols described as "UN0349, Articles, explosive, n.o.s. (Toy caps), 1.4S" or "NA0337, Toy caps, 1.4S" are not subject to the subpart E (labeling) requirements of this part when offered for transportation by motor vehicle, rail freight, cargo vessel, and cargo aircraft and, notwithstanding the packing method assigned in §173.62 of this subchapter, in conformance with the following conditions:

B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F).

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

06/15/2020 EN (English) 8/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

Emergency Response Guide (ERG) Number : 128

Other information : No supplementary information available.

Transport by sea

Transport document description (IMDG) : UN 1133 ADHESIVES, 3, II

UN-No. (IMDG) : 1133
Proper Shipping Name (IMDG) : ADHESIVES

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 1133 ADHESIVES, 3, II

UN-No. (IATA) : 1133

Proper Shipping Name (IATA) : ADHESIVES

Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium Danger

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Methyl methacrylate (80-62-6)		
Subject to reporting requirements of United States SARA Section 313		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a final TSCA section 4 test rule.	
CERCLA RQ	1000 lb	

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) (25068-38-6)			
EPA TSCA Regulatory Flag  XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).			
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard			
DIBENZOYL PEROXIDE (94-36-0)			
Subject to reporting requirements of United States SARA Section 313			
Tricresylphosphate (1330-78-5)			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a final TSCA section 4 test rule.		

## 15.2. International regulations

## CANADA

Methyl methacrylate (80-62-6)	
Listed on the Canadian DSL (Domestic Substances List) inventory	

# 1,4 BUTANEDIOL DIMETHACRYLATE (2082-81-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### pentaerythritol tetra(mercaptoacetate) (10193-99-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

## 1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (38668-48-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

## reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) (25068-38-6)

Listed on the Canadian DSL (Domestic Substances List) inventory.

06/15/2020 EN (English) 9/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **DIBENZOYL PEROXIDE (94-36-0)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Tricresylphosphate (1330-78-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### **EU-Regulations**

### Methyl methacrylate (80-62-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 1,4 BUTANEDIOL DIMETHACRYLATE (2082-81-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### pentaerythritol tetra(mercaptoacetate) (10193-99-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## 1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (38668-48-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **DIBENZOYL PEROXIDE (94-36-0)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Tricresylphosphate (1330-78-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

### Methyl methacrylate (80-62-6)

Listed on the Chinese Catalog of Hazardous Chemicals.

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

## 1,4 BUTANEDIOL DIMETHACRYLATE (2082-81-7)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

## pentaerythritol tetra(mercaptoacetate) (10193-99-4)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

## 1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (38668-48-3)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

### **DIBENZOYL PEROXIDE (94-36-0)**

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Korea Designated Existing Substances List (First Batch).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Chinese Catalog of Hazardous Chemicals.

China List of Hazardous Chemicals for Priority Management- SAWS

06/15/2020 EN (English) 10/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **DIBENZOYL PEROXIDE (94-36-0)**

Not listed on Taiwain National Chemical Inventory.

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

### Tricresylphosphate (1330-78-5)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Chinese Catalog of Hazardous Chemicals.

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

### 15.3. US State regulations

**MARNING:** 

This product can expose you to Dimethyl-p-toluidine, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Dimethyl-p- toluidine(99-97-8)	X					

Component	State or local regulations
Methyl methacrylate(80-62-6)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances; U.S Pennsylvania - RTK (Right to Know) List
DIBENZOYL PEROXIDE(94-36-0)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Tricresylphosphate(1330-78-5)	U.S New Jersey - Right to Know Hazardous Substance List

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. European Chemicals Agency (ECHA) C&L Inventory database. Accessed at http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. Manufacturer Information. United Nations Economic Commission for Europe: About the GHS. Accessed at

http://www.unece.org/trans/danger/publi/ghs/ghs\_welcome\_e.html.

Other information : None.

# Full text of H-statements:

H225	Highly flammable liquid and vapour.
H241	Heating may cause a fire or explosion.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

06/15/2020 EN (English) 11/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms:

	ATE: Acute Toxicity Estimate	
	CAS (Chemical Abstracts Service) number	
	CLP: Classification, Labelling, Packaging.	
	EC50: Environmental Concentration associated with a response by 50% of the test population.	
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).	
	European List of Waste (LoW) code	
	LD50: Lethal Dose for 50% of the test population	
	TWA: Time Weighted Average	
	STEL: Short Term Exposure Limits	
	PBT: Persistent, Bioaccumulative, Toxic	
	WEL: Workplace Exposure Limit	
vPvB	Very Persistent and Very Bioaccumulative	

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause

temporary incapacitation or residual injury.


NFPA fire hazard

NFPA reactivity

: 4 - Materials that rapidly or completely vaporize at atmospheric pressure and normal ambient temperature or that are readily dispersed in air and burn readily.

: 1 - Materials that in themselves are normally stable but can

become unstable at elevated temperatures and pressures.



SDS Prepared by: The Redstone Group, dba SafeBridge Consultants, Inc.

110 Polaris Pkwy Suite 200

Westerville, OH USA 43082 P: +1 (614) 923-7472 www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

06/15/2020 EN (English) 12/12