

Safety Data Sheet

1. Identification

Product Information. S781 (114337)

Product Name: Liquid Pro

Recommended Use. Professional Carpet Cleaning

Uses advised against. Professional Use Only

Supplier. Legend Brands
Prochem
15180 Josh Wilson Road
Burlington, WA 98233
E-Mail: sds@legendbrands.com
800-932-3030

Legend Brands
4520 Eastgate Parkway
Mississauga, ON L4W 3W6
800-932-3030

Emergency telephone number. INFOTRAC 1-800-535-5053 (North America)
+1-352-323-3500 (International)

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

This product is not classified as hazardous according to GHS classification criteria.

GHS Pictograms

None required.

Signal Word

Not required.

Unknown Acute Toxicity

5.0% of the mixture consists of ingredient(s) of unknown acute toxicity

3. Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Wt. %</u>
Diethylene glycol monoethyl ether	111-90-0	2.5-10
Ethoxylated alcohols, C9-C11	68439-46-3	2.5-10
TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5	2.5-10
SODIUM TRIPOLYPHOSPHATE	7758-29-4	2.5-10
SODIUM BICARBONATE	144-55-8	1.0-2.5
TRISODIUM NTA	5064-31-3	0.1-1.0

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

No information available.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Use personal protection recommended in Section 8.

Environmental precautions.

Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH-TLV STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA PEL-CEILING</u>
----------------------	----------------------	-----------------------	---------------------	-------------------------

Contains no substances with occupational exposure limit values.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	Clear
Color	Slate blue
Odor	Citrus
Odor Threshold	No Information
pH	9.3
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	>94 (>201.20)
Boiling point/boiling range., °C (°F)	100 - 1,412 (212 - 2573.6)
Evaporation rate	No Information
Explosive properties.	No Information
Vapor pressure.	No Information
Vapor density.	No Information
Specific Gravity. (g/cm ³)	1.086
Water solubility.	Soluble
Partition coefficient.	No Information
Autoignition temperature., °C	No Information
Decomposition Temperature °C.	No Information
Viscosity, kinematic.	No Information

Other information.

Volatile organic compounds (VOC) content.	0% at 2 oz/gallon
---	-------------------

Density, lb/gal

No Information

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

None known.

Incompatible Materials.

None known based on information supplied.

Hazardous Decomposition Products.

None known.

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 64,139.0 mg/kg

Component Information.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>LD50 Oral</u>	<u>LD50 Dermal</u>	<u>LC50 Inhalation</u>
111-90-0	Diethylene glycol monoethyl ether	6031 mg/kg Rat	9143 mg/kg Rabbit	N.I.
7320-34-5	TETRAPOTASSIUM PYROPHOSPHATE	> 2980 mg/kg	> 7940 mg/kg	6 mg/l (Dust)
144-55-8	SODIUM BICARBONATE	4220 mg/kg Rat	N.I.	N.I.
5064-31-3	TRISODIUM NTA	1740 mg/kg	N.I.	N.I.

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>
5064-31-3	TRISODIUM NTA	IARC Group 2B	-	-

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information**Toxicity.**

7.47% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Diethylene glycol monoethyl ether 111-90-0	-	LC50 96 h <i>Lepomis macrochirus</i> 10000 mg/L, LC50 96 h <i>Lepomis macrochirus</i> 19100 - 23900 mg/L, LC50 96 h <i>Oncorhynchus mykiss</i> 11400 - 15700 mg/L, LC50 96 h <i>Pimephales promelas</i> 11600 - 16700 mg/L	EC50 48 h <i>Daphnia magna</i> 3940 - 4670 mg/L
TETRAPOTASSIUM PYROPHOSPHATE 7320-34-5	-	LC50 96 h <i>Oncorhynchus mykiss</i> >100 mg/L	EC50 48 h water flea >100 mg/L
SODIUM BICARBONATE 144-55-8	-	LC50 96 h <i>Lepomis macrochirus</i> 8250 - 9000 mg/L	EC50 48 h <i>Daphnia magna</i> 2350 mg/L
TRISODIUM NTA 5064-31-3	-	LC50 96 h <i>Pimephales promelas</i> 93 - 170 mg/L, LC50 96 h <i>Lepomis macrochirus</i> 175 - 225 mg/L, LC50 96 h <i>Lepomis macrochirus</i> 252 mg/L, LC50 96 h <i>Pimephales promelas</i> 470 mg/L, LC50 96 h <i>Oryzias latipes</i> 560 - 1000 mg/L, LC50 96 h <i>Oryzias latipes</i> 560 - 1000 mg/L, LC50 96 h <i>Oncorhynchus mykiss</i> 72 - 133 mg/L, LC50 96 h <i>Poecilia reticulata</i> 560 - 1000 mg/L, LC50 96 h <i>Poecilia reticulata</i> 560 - 1000 mg/L, LC50 96 h <i>Pimephales promelas</i> 114 mg/L	LC50 48 h <i>Daphnia magna</i> 560 - 1000 mg/L

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.

111-90-0

Chemical Name

Diethylene glycol monoethyl ether

log POW

-0.8

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations**Waste Disposal Guidance.**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Shipping Name: Not regulated

IMDG

Hazard Class: Not regulated

IATA

Not regulated

15. Regulatory Information**International Inventories:**

TSCA Complies

DSL -

DSL/NDSL Complies

EINECS/ELINCS -

ENCS -

IECSC -

KECI -

PICCS -

AIIC -

NZIoC -

TCSI

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.

IECSC China Inventory of Existing Chemical Substances.

KECL Korean Existing and Evaluated Chemical Substances.

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AIIC Australian Inventory of Chemical Substances.

NZIoC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

U.S. Federal Regulations:**SARA SECTION 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372: .

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Weight Percent</u>
TRISODIUM NTA	5064-31-3	0.1-1.0

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:.

<u>Chemical Name</u>	<u>CAS-No.</u>
5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4
2-Methyl-2H-isothiazol-3-one	2682-20-4
2-ethoxyethanol	110-80-5

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical Name

Ethylene oxide

CAS-No.

75-21-8

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical Name

Ethylene oxide

2-ethoxyethanol

CAS-No.

75-21-8

110-80-5

16. Other Information

Revision Date: 10/27/2023 **Supersedes Date:** 10/27/2023

Reason for revision: Revision Description Changed
 Product Composition Changed
 Substance Hazard Threshold % Changed
 Substance and/or Product Properties Changed in Section(s):
 01 - Product Information
 02 - Hazards Identification
 03 - Composition/Information on Ingredients
 11 - Toxicological Information
 12 - Ecological Information
 14 - Transportation Information
 15 - Regulatory Information
 16 - Other Information
 Substance CAS Number Changed
 Substance Hazardous Flag Changed
 Revision Statement(s) Changed

Datasheet produced by: Regulatory Department

HMIS Ratings:

Health:	0	Flammability:	1	Physical Hazard:	0	Personal Protection:	B
----------------	---	----------------------	---	-------------------------	---	-----------------------------	---

NFPA Ratings:

Health:	0	Flammability:	1	Instability:	0	Physical & Chemical:	-
----------------	---	----------------------	---	---------------------	---	---------------------------------	---

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.