

Safety Data Sheet

1. Identification

| | |
|-----------------------------|--|
| Product Information. | S888 (114344-112408-112263) |
| Product Name: | Ultrapac Trafficlean Mint Fresh |
| Recommended Use. | Professional Carpet Cleaning |
| Uses advised against. | Professional Use Only |
| Supplier. | Legend Brands Prochem 15180 Josh Wilson Road Burlington, WA 98233 E-Mail: sds@legendbrands.com 800-932-3030 |
| Emergency telephone number. | INFOTRAC 1-800-535-5053 (North America) +1-352-323-3500 (International) |

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Eye Irritation, category 2A
Flammable Liquid, category 4
Skin Sensitizer, category 1

GHS Pictograms



Signal Word

Warning

Unknown Acute Toxicity

4.2% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Combustible liquid.
May cause an allergic skin reaction.
Causes serious eye irritation.

Precautionary Statements - Prevention.

Keep away from heat, sparks, open flames, hot surfaces. No smoking.
Wash face and hands and any exposed skin thoroughly after handling.
Wear protective gloves, protective clothing, eye protection, face protection

Precautionary Statements - Response.

If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO₂ dry chemical or foam to extinguish.

Precautionary Statements - Storage.

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local, regional, national, international regulations.

3. Composition/Information on Ingredients

| <u>Chemical Name</u> | <u>CAS-No.</u> | <u>Wt. %</u> |
|--------------------------------|----------------|--------------|
| 2-(2-BUTOXYETHOXY)ETHANOL | 112-34-5 | 10-25 |
| TETRAPOTASSIUM PYROPHOSPHATE | 7320-34-5 | 10-25 |
| ALCOHOLS, C6 -C12, ETHOXYLATED | 68439-45-2 | 2.5-10 |
| 2-Propenoic Acid, Homopolymer | 9003-01-4 | 0.1-1.0 |
| POTASSIUM HYDROXIDE | 1310-58-3 | 0.1-1.0 |
| Carvone Laveo Kosher | 6485-40-1 | 0.1-1.0 |

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.**General advice.**

Call a physician if irritation develops or persists. Show this safety data sheet to the doctor in attendance.
When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

Skin contact.

If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Call a physician if irritation develops or persists. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.**Suitable extinguishing media.**

Water spray. Foam. Dry powder. Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO₂).

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

Hazardous decomposition products formed under fire conditions. Flash back possible over considerable distance.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Remove all sources of ignition. Use personal protection recommended in Section 8.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment. Remove all sources of ignition.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

| <u>Chemical Name</u> | <u>ACGIH TLV-TWA</u> | <u>ACGIH-TLV STEL</u> | <u>OSHA PEL-TWA</u> | <u>OSHA PEL-CEILING</u> |
|---------------------------|----------------------|-----------------------|---------------------|-------------------------|
| 2-(2-BUTOXYETHOXY)ETHANOL | 10 ppm | N.E. | N.E. | N.E. |

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state

| | |
|--|--------------------------|
| Appearance | Liquid |
| Color | Opaque |
| Odor | Tan |
| Odor Threshold | Mint |
| pH | No Information |
| Melting/freezing point., °C (°F) | 9.2 |
| Flash Point., °C (°F) | No Information |
| Boiling point/boiling range., °C (°F) | 71 (159.80) |
| Evaporation rate | 100 - 1,320 (212 - 2408) |
| Explosive properties. | No Information |
| Vapor pressure. | No Information |
| Vapor density. | No Information |
| Specific Gravity. (g/cm ³) | No Information |
| Water solubility. | 1.130 |
| Partition coefficient. | Soluble |
| Autoignition temperature., °C | No Information |
| Decomposition Temperature °C. | No Information |
| Viscosity, kinematic. | No Information |

Other information.

| | |
|---|----------------|
| Volatile organic compounds (VOC) content. | No Information |
| Density, lb/gal | No Information |

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

Strong oxidizing agents.

Incompatible Materials.

None known based on information supplied.

Hazardous Decomposition Products.Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. Toxicological Information

Information on toxicological effects.**Acute toxicity.****Product Information**

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

| | |
|-----------------------------|----------------|
| ATEmix (oral) | 16,411.0 mg/kg |
| ATEmix (dermal) | 11,285.6 mg/kg |
| ATEmix (inhalation - vapor) | 971.62 mg/l |

Component Information.

| <u>CAS-No.</u> | <u>Chemical Name</u> | <u>LD50 Oral</u> | <u>LD50 Dermal</u> | <u>LC50 Inhalation</u> |
|-----------------------|-----------------------------|-------------------------|---------------------------|-------------------------------|
| 112-34-5 | 2-(2-BUTOXYETHOXY)ETHANOL | 5660 mg/kg Rat | 2700 mg/kg Rabbit | N.I. |

| | | | | |
|------------|--------------------------------|----------------|--------------------|-----------------------|
| 7320-34-5 | TETRAPOTASSIUM PYROPHOSPHATE | > 2980 mg/kg | > 7940 mg/kg | 6 mg/l (Dust) |
| 68439-45-2 | ALCOHOLS, C6 -C12, ETHOXYLATED | N.I. | 2500 | N.I. |
| 9003-01-4 | 2-Propenoic Acid, Homopolymer | 2500 mg/kg Rat | >2000 mg/kg Rabbit | >5.1 mg/L Rat (Vapor) |
| 1310-58-3 | POTASSIUM HYDROXIDE | 284 mg/kg Rat | >2000 mg/kg | N.I. |
| 6485-40-1 | Carvone Laveo Kosher | 5400 mg/kg Rat | >2000 mg/kg Rat | N.I. |

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

CAS-No.**Chemical Name****IARC****NTP****OSHA**

9003-01-4

2-Propenoic Acid, Homopolymer

IARC Group 3

-

-

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information**Toxicity.**

2.93% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|--|---|--|---|
| 2-(2-BUTOXYETHOXY) ETHANOL 112-34-5 | EC50 96 h Desmodesmus subspicatus >100 mg/L | LC50 96 h Lepomis macrochirus 1300 mg/L | EC50 48 h Daphnia magna >100 mg/L |
| TETRAPOTASSIUM PYROPHOSPHATE 7320-34-5 | - | LC50 96 h Oncorhynchus mykiss >100 mg/L | EC50 48 h water flea >100 mg/L |
| 2-Propenoic Acid, Homopolymer 9003-01-4 | - | LC50 96 h Lepomis macrochirus 580 mg/L | - |
| Carvone Laveo Kosher 6485-40-1 | - | LC50 96 h Oncorhynchus mykiss 6.1 mg/L | - |

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.**Chemical Name****log POW**

112-34-5

2-(2-BUTOXYETHOXY)ETHANOL

1

9003-01-4

2-Propenoic Acid, Homopolymer

0.27

1310-58-3

POTASSIUM HYDROXIDE

0.65, 0.83

6485-40-1

Carvone Laveo Kosher

2.74

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations**Waste Disposal Guidance.**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information**DOT**

Shipping Name: Not regulated

IMDG

Hazard Class: Not regulated

IATA

Hazard Class: Not regulated

15. Regulatory Information**International Inventories:**

TSCA Complies

DSL -

DSL/NDSL Complies

EINECS/ELINCS -

ENCS -

IECSC -

KECI -

PICCS -

AIIC Complies

NZIoC -

TCSI

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.

IECSC China Inventory of Existing Chemical Substances.

KECL Korean Existing and Evaluated Chemical Substances.

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AIIC Australian Inventory of Chemical Substances.

NZIoC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

U.S. Federal Regulations:**SARA SECTION 313:**

This product does not contain any chemicals that are subject to the reporting requirements of SARA 313.

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical Name**CAS-No.**

1,4-DIOXANE

123-91-1

Ethylene oxide

75-21-8

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical Name**CAS-No.**

Ethylene oxide

75-21-8

16. Other Information

Revision Date: 2/25/2025 **Supersedes Date:** 2/3/2025

Reason for revision: Product Composition Changed
Substance and/or Product Properties Changed in Section(s):
02 - Hazards Identification
Revision Statement(s) Changed

Datasheet produced by: Regulatory Department

HMIS Ratings:

| | | | | | | | |
|----------------|---|----------------------|---|-------------------------|---|-----------------------------|---|
| Health: | 2 | Flammability: | 2 | Physical Hazard: | 0 | Personal Protection: | B |
|----------------|---|----------------------|---|-------------------------|---|-----------------------------|---|

NFPA Ratings:

| | | | | | | | |
|----------------|---|----------------------|---|---------------------|---|---------------------------------|---|
| Health: | 2 | Flammability: | 2 | Instability: | 0 | Physical & Chemical: | - |
|----------------|---|----------------------|---|---------------------|---|---------------------------------|---|

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.