LATICRETE

SAFETY DATA SHEET

1. Identification

Product identifier Honing Powder 400 Grit

Other means of identification Non

Recommended use Refinishing calcium based stones.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name

LATICRETE International

Address

1 Laticrete Park, N

1 Laticrete Park, N Bethany, CT 06524

Telephone (203)-393-0010
Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement None.

Precautionary statement

PreventionObserve good industrial hygiene practices.ResponseNo specific first aid measures noted.StorageStore away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % |
|----------------|------------|------|
| Aluminum oxide | 1344-28-1 | > 99 |

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

Inhalation Remove victim to fresh air. Get medical attention if symptoms persist.

Skin contact Wash area with soap and water. Get medical attention if irritation develops or persists.

Eye contact Do not rub eyes. Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if

irritation develops or persists.

Ingestion Rinse mouth and drink plenty of water. Only induce vomiting at the instruction of medical

personnel. Get medical attention if any discomfort occurs.

Honing Powder 400 Grit SDS US

Most important

symptoms/effects, acute and delayed

Irritation of eyes and mucous membranes. Irritation of nose and throat.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

No restrictions known.

media

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards The product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal. Do not vacuum clean unless vacuum cleaners are equipped with HEPA filter. For waste disposal, see Section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of dust and contact with skin and eyes. Use work methods which minimize dust production. Provide appropriate exhaust ventilation at places where dust is formed. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in a cool, dry place out of direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|-----------------------------------|------|----------|----------------------|
| Aluminum oxide (CAS 1344-28-1) | PEL | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| US. ACGIH Threshold Limit Values | | | |

Form Components Type Value Aluminum oxide (CAS TWA 1 mg/m3 Respirable fraction. 1344-28-1)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Honing Powder 400 Grit SDS US Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection Use a particulate filter respirator for particulate concentrations exceeding the Occupational

Exposure Limit.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. Physical state Powder. **Form** White. Color Odor None.

Not available. **Odor threshold** Ηα Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not applicable.

range

Flash point Not applicable. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure Not available. Vapor density Not available.

Relative density 3.8

Solubility(ies)

Solubility (water) Insoluble in water. Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature** Not available. Viscosity

Other information

Bulk density Not available.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability** Possibility of hazardous Hazardous polymerization does not occur.

reactions

Moisture. Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong acids. Strong oxidizing agents.

No hazardous decomposition products are known. **Hazardous decomposition**

products

Honing Powder 400 Grit SDS US 3/6

923653 Revision date: -Version #: 01 Issue date: 18-December-2014

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system.

Skin contact May cause irritation through mechanical abrasion.

Eve contact Dust may irritate the eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes and mucous membranes. Irritation of nose and throat.

Information on toxicological effects

May cause discomfort if swallowed. Acute toxicity

Species Test Results Components

Aluminum oxide (CAS 1344-28-1)

Acute Inhalation

LC50 Rat > 2.3 mg/l, 4 Hours

Skin corrosion/irritation May cause irritation through mechanical abrasion.

Serious eye damage/eye

irritation

Dust in the eyes may cause irritation.

Respiratory or skin sensitization

Respiratory sensitization No data available. Skin sensitization Not a skin sensitizer. Germ cell mutagenicity No data available.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

No data available. Reproductive toxicity Specific target organ toxicity -No data available.

single exposure

No data available.

Specific target organ toxicity repeated exposure

Not classified. **Aspiration hazard**

Chronic effects Prolonged and repeated overexposure to dust can lead to pneumoconiosis.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability The product is not biodegradable.

Bioaccumulative potential The product is not expected to bioaccumulate.

Mobility in soil The product is not mobile in soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

4/6

emptied.

Honing Powder 400 Grit SDS US

923653 Version #: 01 Issue date: 18-December-2014 Revision date: -

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to No.

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No.

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|----------------|------------|----------|--|
| Aluminum oxide | 1344-28-1 | > 99 | |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulationsCalifornia Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*AustraliaAustralian Inventory of Chemical Substances (AICS)Yes

5/6

Honing Powder 400 Grit SDS US

923653 Version #: 01 Revision date: - Issue date: 18-December-2014

| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
|-------------|--|-----|
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

No

On inventory (yes/no)*

16. Other information, including date of preparation or last revision

Inventory name

Domestic Substances List (DSL)

Non-Domestic Substances List (NDSL)

18-December-2014 Issue date

Revision date Version # 01

Country(s) or region

Canada

Canada

NFPA ratings



List of abbreviations

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

SDS US Honing Powder 400 Grit

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).