

SURFACES GROUP

## TOP LINE

#### Description

The best solution to profile and polish the edge. Long lasting and best finishing. The set is composed of 4 **UHS** (Ultra High Speed) metal bond wheels and 2 express polishers. Slots created by **EDM** (Electro Discharge Machine) technology for the water cooling system and the refrigeration of the diamond surface



#### Available sizes

Diam. Ø120 mm Bore 35 mm





position 5 is also available in express polishers

## FAST LINE

#### **Description**

It allows to profile and polish either internal cutout or on the outer edge of the countertop, long lasting and high speed, best finishing. The set is composed of 4 **UHS** (Ultra High Speed) metal bond wheels and 2 express polishers. Slots created by **EDM** (Electro Discharge Machine) technology for the water cooling system and the refrigeration of the diamond surface



Available sizes Diam. Ø 80 mm Bore 35 mm







position 5 is also available in express polishers



SURFACES GROUP

### TWIST LINE

#### Description

It allows to profile and polish the edge with high performance of durability and finishing, also in case of medium radius. The set is composed of 4 **UHS** (Ultra High Speed) metal and 2 express polishers. Slots created by **EDM** (Electro Discharge Machine) technology for the water cooling system and the refrigeration of the diamond surface

#### Available sizes

Internal diam. Ø40 mm Bore 22 mm





position 5 is also available in express polishers



### MFP5

# MFP5 Metal Polishing Wheel Description

The MFP5 is suggested in pos. 5 to avoid lines left during profiling of the metal. Longer life of the complete set - can be redressed - long term economic solution. Available in different shapes

#### **Micronline | Description**

Available in MicronLine limited shapes

#### Available sizes

Diam. Ø80 mm Bore 35 mm Internal diam. Ø40 mm Bore 22 mm

Available sizes Internal diam. Ø20 mm 1/2" gas fitting





aditools.com



SURFACES GROUP

# **ERASER** RESIN TOOLS

#### Resin bond diamond tool for flat edge Description

Pos. 5 Resin bond wheel on straight profiles only - To erase lines left on the material

#### Available sizes

Diam. Ø80X25 mm - bore 35 mm Diam. Ø80X35 mm - bore 35 mm Diam. Ø20X35 mm - 1/2" gas fitting Diam. Ø20X45 mm - 1/2" gas fitting



### **MICRON** LINE

#### Description

Maximum precision to profile and polish the little radius, such as the internal sink cutout. The particular design of the 2 segments UHS (Ultra High Speed), allows high performance. The set is composed of 4 **UHS** metal and 2 express polishers. Slots created with **EDM** (Electro Discharge Machine) technology for the water cooling system and diamond surface refrigeration.

#### Available sizes

Diameter Ø 20 mm ½"gas fitting







position 5 is also available in express polishers



### NANO LINE

#### Description

It is suitable for little job, it allows to polish very small radius (internal radius 5mm). The set is composed of 3 metal vacuum brased router bit + 2 Express polishers



aditools.com

Available sizes

Internal diam. Ø10 mm 1⁄2"gas fitting





SURFACES GROUP

### NINJA BLADES

#### **Description**

Segmented blades for the precut, assembled to obtain the profile needed. They preserve the set of profiling wheels, you can buy them individually.

#### **Available sizes**

min Ø 70 mm max Ø160 mm Bore 35 mm



## SOLUTION FOR 90°COUPLING

#### **Description**

Wheels for 90° coupling of two workpieces cut at 45° thickness 2-3-4 cm, pos. 1 segmented and pos. 2 vacuum brased. Available sizes Ø146 mm Bore 35 mm





## **ZEROCHIPPING** SEAM SOLUTION

#### Description

Segmented wheel straight profile (Z) to profile without chipping, available in Ø50 mm and Ø60mm, pos. 1 segmented, pos. 2 and 3 in continuous rim with slots



#### Available sizes

Ø 50 mm | Ø 60 mm Bore 35 mm







SURFACES GROUP

## **PROFILE WHEEL** FOR MARBLE

#### Description

2 electroplated wheels with milled body, bore 35mm, 1 electroplated wheel with continuous rim, 2 positions abrasive polishers. Available in different shapes also on customer's drawing.

#### Available sizes

thickness 20 mm 30 mm 40 mm Bore 35 mm



**UHS**® delivers the fastest feed rates, longest tool life **EDM** technology that gives high precision in the profile and in the slots of metal tools